

# Radio Signals from Photon Beams in Sand and Salt

Dawn Williams  
International ARENA Workshop  
DESY, Zeuthen  
May 17, 2005

# UHE Neutrino Astronomy

- From  $10^{15}$  to  $\sim 10^{21}$  eV, neutrinos are the messenger
  - Photons interact with cosmic IR background
  - Cosmic ray protons bend in IG magnetic field
- “Guaranteed” GZK neutrino flux around  $10^{18}$  eV
- Predicted neutrino fluxes are very low
  - Cubic kilometer scale detectors required
- Optical neutrino detectors: ice, water
  - Scattering limits effective volume
- Another method: radio

# The Askar'yan Effect


- Proposed by G. Askar'yan, 1962
  - High-energy neutrino interacts in a solid dielectric
  - Net charge excess develops in electron- $\gamma$  shower
  - Charge excess moving at speed of light in vacuum  
→ Cherenkov radiation results
- The key: Cherenkov radiation is *coherent* for wavelengths larger than shower bunch size
  - For sand, salt and ice, coherent at freq.  $< 1-10$  GHz
  - Power scales *quadratically* with particle energy
  - Most energy in radio at  $>PeV$  energies

# The targets: sand, salt and ice

- Salt, sand and ice transparent in radio
- Ice: Antarctic icecap (RICE, ANITA), Greenland
  - Possible co-detection with IceCube
  - Large volume seen with ANITA
- Sand: lunar regolith (GLUE, others)
  - Showers visible from radio telescopes at  $> 10$  EeV
- Salt: salt domes in Gulf Coast region (SALSA)
  - Easily accessible
  - No terrestrial radio interference

# Measuring the Askar'yan Effect

- Air showers
  - Complicated by geomagnetic effects
- RICE, lunar regolith
  - Not enough volume/lifetime
- Argonne electron beamtest
  - Sand target
  - Transition radiation obscures Cherenkov




# The SLAC beamtests

- 2000: sand target
  - Argonne: P. Schoessow
  - JPL: P. Gorham, G. Resch
  - SLAC: C. Field, R. Iverson, A. Odian, D. Walz
  - UCLA: D. Saltzberg, D. Williams
- 2002: salt target
  - SLAC: C. Field, D. Walz
  - UCLA: D. Saltzberg, D. Williams
  - UH Manoa: P. Gorham, E. Guillian, R. Milincic




# The SLAC Photon Beam

- Photon beam into target
  - No TR at interface.... all radiation from shower
- Variable radiators/beamcurrent
  - equivalent bunch energy from  $10^{15}$  to  $10^{19}$  eV



# SLAC 2000: Sand target




# The “Kitty Litter” Experiment




upstream view

downstream view




# SLAC 2000: Longitudinal Shower Profile



Also seen  
in salt

# SLAC 2000: Coherence


Measured over 1.5  
decades in energy




# SLAC 2000: Polarization

100% linear polarization

reflections




# SLAC 2000: Field Strength



Parameterization by  
Alvarez-Muniz,  
Vasquez and Zas


# SLAC 2000: Cherenkov Angle



Peak at 0° offset  
from Cherenkov  
angle

# SLAC 2002: Salt Target

- Target: 4 tons salt bricks
- Same geometry as sandbox
- Antennas:
  - External horns
  - Buried bowtie antennas
  - Log periodic dipole



# SLAC 2002 photos



Target: bowtie antennas  
being buried


beam exit



downstream shower core  
still very compact

# SLAC 2002 coherence

Coherence  
measured over  
two more  
decades in  
energy than  
SLAC 2000




3 frequency  
ranges


up to 14  
GHz

# SLAC 2002: Polarization Tracking

Directional  
information  
from  
polarization




# SLAC 2002: Field Strength in Salt



Parameterization  
from Alvarez-Muniz  
& Zas

# SLAC 2002: Transition Radiation

- Shower formed in Pb/Al target upstream of salt
- TR measured as charge excess exits , in agreement with predicted strength
- New avenue of detection?



# Summary

- Askar'yan effect has been observed directly in sand and salt: first direct observation
- Coherence observed over many decades in energy, frequencies from  $\sim 0.5$  to 14 GHz
- 100% linear polarization observed, may be used to track shower direction
- Absolute field strength agrees w/parameterization
- TR signal from Askar'yan charge excess also observed